Secrt. II-27—40,004—6-11-28.

Law (Genl) (1930) Department.

MS SERIES.

G.O. No. 2042

DATED 8 - 5 - 1930

[Despatch Abstract.]

Petroleum - Licence - Form B - Mr. M. S. Mirjankar - Coondapur

Granted -

C F. 80

LAW (GENERAL) DEPARTMENT.

G 3490 c

Received 25 APR 1930 LAW DEPT. 192 . *Registered* 26.4.30 192

Subject.

Petroleum - dangerous - storage - 25,000 gallons - B form licence - grant to Mr. M. S. Mirjankar - recommended.

ENCLOSURES.
No.
Spare copies

Ref. C1-No 3321-30.

Station Mangalore *Dated the* 23rd April 192 30.

From (Name) G. W. Wells, Esquire, M.A., I.C.S.,

(Designation) Dt. Magistrate of South Kanara.

To The Secretary to the Government of Madras

Law (General) Department.

Madras.

Sir,

I forward the application of Mr. M. S. Mirjankar, for a B form licence for storage of 25,000 gallons of dangerous petroleum, otherwise than in bulk in his storageshed in S.No. 100/3 of Coondapoor Casba village of this district. The site and building have been inspected by the Tahsildar of Coondapoor Taluk who reports that they fulfil the prescribed conditions. I enclose the Treasury Chalan receipt 433/108, dated 23rd April '30 of the Imperial Bank, Mangalore for Rs.100/-, produced by Mr. Mirjankar for fees for the B form licence. I recommend the grant of the licence.

Your obedient servant,

For Dt.Magistrate.

M.D'S.24/4.

24.4.30.

M. S. Mirjankar, Agent,

BURMAH-SHELL

OIL STORAGE & DISTRIBUTING CO. OF INDIA, LTD.
(INCORPORATED IN ENGLAND.)
PETROL AGENCY.

Kunta, DATED 22rd March 1930.

To,

The District Magistrate, South Kanara,
Mangalore.

1-3286-30

Respected Sir,

This is to request you to kindly issue me license for the storage 25000 Gallons Petrol in the godown situated in Coondapur in S.F. 100/2 which has been rented to me by the owner Mr.K.Venkatappa Shenai

As I have to start storing monsoon stock in it from the next month, I humbly request your Honour to kindly issue the license at the earliest possible date for which act of kindness I shall ever remain grateful.

I beg to remain,
Respected Sir,
Your most obedient servant,
M.S.Mirjankar

M/ 2.4.30

N Rep G- 3321-1930

Forwarded to the Tahsildar-Magistrate Coondapur for inspection of the site and building and report whether they satisfy all the conditions prescribed for a B form licence for 25,000 gallons (if petrol is desired to be stored otherwise than in bulk)

3

A Court fee label of 4 annas should be obtained from Peta and affixed to the Petition, as the stamp affixed by him is insufficient in value.

On receipt of 4 annas court fee stamp to be affixed. 7.4.30

31.3.30

31.3.1930 } District Magistrate

4.4.30

No. Dis. 3280/C1-30

On this paper to be received on full stamp. 1 Anna 7.4.30 2 7.4.30

Respectfully to the Sub-Magistrate of S. Kanara.

I have inspected the building referred to by the petitioner. It is 25'6" by 9'3" and is surrounded by S No: 100/3 (belonging to K Venkatapathi Shanbhague) on which it stands. It is at a distance of 31' from the southern boundary of S No: 100/2B, and 45' from the western boundary of S No: 100/2A1. It satisfies all the conditions prescribed for a B. Form License for 25000 gallons. The petitioner intends to store petrol in cans or drums. A court-fee label of 4 as obtained from the petitioner has been affixed to the petition

Kundapur 17.4.30 } Sub-Collector Magistrate.

K.F. XXXIII—2(a).

8 4 4 / 43 7

T. & A. 1 (B)

DUPLICATE.

The receipt is not binding or valid on Government unless it is signed (1) by the Huzur Treasurer and (2) by the English Hd. Acctt. when the amount is under Rs. 500 and also (3) by the Try. Dy. Collector when the amount is Rs. 500 or more."

" 500 ರೂಪಾಯ್ ಕಳಗಿನ ಹೊಬಲಗಿನದ್ದಾದರೆ (1) ಹಜೂರ್ ಟ್ರೆಜರರಿಂದ - ಪ - (2) ಇಂಗ್ಲಿಷ್ ಹೆಡ್ ಎಕ್ಕೌಂಟಾಂಟರಿಂದ, ಮತ್ತು 500 ರೂಪಾಯ್ - ಯಾ - ಅದರಕ್ಕಿಂತ ಹೆಚ್ಚಿನ ಹೊಬಲಗಿನದ್ದಾದರೆ (3) ಖಜಾನಾ ಡಿಪ್ಯುಟಿ ಕಲೆಕ್ಟರವರಿಂದ ದಸ್ಕತು ಆದ ವಿನಹಾ, ಈ ರಸೀದಿಯು ಗವರ್ನಮೆಂಟಿನವರಮೇಲೆ ಬದ್ಧೀಕರಿಸತಕ್ಕದ್ದಲ್ಲಾ - ಪ ಕಿಂದುನಲ್ಲಾ."

Chalan for payment of money into the ~~Huzur~~ Imperial Bank Treasury at Mangalore

ಹಜೂರ್ ಖಜಾನೆಯಲ್ಲಿ ಈಗ ಪಾವತಿಮಾಡಿದಬಗ್ಗೆ ಚಲನ್ ಯಾನೆ ಜಮೇ ಚೀಟು.

No. 108

By whom paid. ಯಾರಿಂದ ಪಾವತಿಮಾಡೋಣಾದ್ದು.	On what account. ಯಾವ ಬಗ್ಗೆ.	Amount. ಹೊಬಲಗು.			Monthly consecutive No. assigned to the credit in the Day-book. ತಿಗಡೇ ಬೂಕಿನಲ್ಲಿ ಜಮೆ ಖತ್ಮಾ ಕೊಡೋಣಾದ ತಿಂಗಳಗಟ್ಟಿ ಜಂಜರಾ ನಂಬ್ರ.
M. S. Mirjankar Agent Burmah Shell oil distributing co India Ltd. Mangalore	Annual storage Licences for 25,000 gallons of kerosene petroleum at Coondapur	RS. ರೂ. 100	A. ಆ.	P. ಪೈ	XVII administration of justice Fees for Petroleum Licences.
Date 22.4.1930. ತಾ.	TOTAL (in words and figures).. ಜುಮಲಾ (ಅಕ್ಷರಗಳಲ್ಲಿ - ಪ ಅಂಕೆಗಳಲ್ಲಿ).	100			One hundred Rupees only.

Signature of Remitter. ಹಣ ಕಳಿಹಿಸಿದವನ ದಸ್ಕತು. Karkatgadja M.S Mirjankar

RECEIVED RUPEES ಜಮಾ ರೂಪಾಯಿ.

HUZUR TREASURY, ಹಜೂರ್ ಖಜಾನಾ,

The 19
ತಾ. 19

Entered. ಲೆಕ್ಕಕ್ಕೆ ದಾಖಲು ಮಾಡಲಾಯಿತು.

APR 23 1930 THE IMPERIAL BANK OF INDIA FOR IMPERIAL BANK OF INDIA Agent at Mangalore

Initials of Treasurer. ಖಜಾನಾಧಿಯ ಚಿಕ್ಕ ದಸ್ಕತು. *Initials of E. Hd. Acctt.* ಇಂಗ್ಲಿಸ್ ಹೆಡ್ ಎಕ್ಕೌಂಟಂಟರ ಚಿಕ್ಕ ದಸ್ಕತು. *Initials of T.O* ಖಜಾನಾ ಉದ್ಯೋಗಸ್ಥರ ಚಿಕ್ಕ ದಸ್ಕತು.

Sectt. II-6 (a)—48,004—6-11-28. (6)

6/63. Law (General) DEPARTMENT.

	Date.	Initials.
When received for Fair-copying.		
When copied ..		
When examined ..		
When signed ..	16/5/30	
When despatched ..		

Petroleum

Licence-form B- to M. S. Mirjankar- Coondapur- granted.

ASSISTANT SECY TO GOVT. 17 MAY 1930 LAW DEPT.

READ AGAIN G.O. No. ..... dated 192

" " " " ..... " 192

READ ALSO :—

C. No. 3450 From the Dy. Collr. South Kanara No. ..... dated 192

Ref. Cl - 3321-30 dt 9/2/30.

" " ..... " " ..... " 192

" " ..... " " ..... " 192

ORDER.

No. 2042, dated 8/5/30 192.

Mis.

A licence in form B of the Petroleum Rules with be issued to Mr. M.S. Mirjankar Agent, Burma-Shell oil Storage & Distributing Company of India, Limited, for the Storage ~~shed~~ of 25,000 (Twenty five thousand gallons) of dangerous petroleum otherwise than in bulk in a Storage shed in Coondapur, South Kanara District.

2. The licence with be

forwarded to the D.M., South Kanara for delivery to the applicant.

Secy
30430
DRO
15.30

A
2/5
S

Jun 5/5

To

The D.M., South Kanara with licence

The Chief Inspector of Explosives in India with Copy of licence

Copy to the Burmah-Shell Oil Storage & Distr. Co. of India Ltd. (order only)



No. IV. 9 55.
100—Jan. 1930.

Form B.

(*Rule* 3 *of Chapter IV of Part II*).

License to possess dangerous Petroleum, otherwise than in bulk, in quantity exceednig forty gallons for the year ending 31st December 1930.

"*Save as provided in Rules* 9 (1), 13 *and* 14 *of Chapter IV, Part II of the Petroleum Rules, every license for the possession of petroleum shall remain in force until the* 31*st December next following the date of issue of the license.*"

No. **Fee Rs.** 100/-

License is hereby granted to Mr M.S. Mirjankar Agent, Burma Shell Oil Storage and Distributing Company of India Limited for the storage, in the storage shed described below, of 25,000 Twenty five thousand gallons of dangerous Petroleum, subject to the Rules for the Storage of Petroleum published in Notification No. 441, dated 24th July 1909, and to the further conditions on the back of this license.

O/C

Secretary, ~~President,~~ D.K.
Government of Madras
~~Corporation of Madras.~~
Law Dept.

The May 1930.

(Description of the storage shed above referred to)

Situated in S.No. 100/3 of Coondapore Kasba Village, South Kanara Dt. —

SRD 1.5.30

Endorsement on Form B.

CONDITIONS OF LICENSE.

1. If the licensing officer call upon the holder of a license, by notice in writing, to execute any repairs of the storage shed, which may, in the opinion of such officer, be necessary for the safety of the shed, the holder of the license shall execute the repairs within such period, not being less than one month from the date of receipt of the notice, as may be fixed by the notice.

2. The license-holder is prohibited from delivering any quantity of dangerous petroleum exceeding three gallons to any one who has not a license under Section 5 or Section 6 of the Act, or any less quantity of such petroleum, except in accordance with the conditions of the proviso to Section 6 of the Act, as to the vessels in which the petroleum must be contained.

3. The petroleum shall be stored in gas-tight tinned or galvanized sheet iron, steel, or lead plate receptacles containing each not more than sixty-five gallons and fitted with well-made filling holes and well-fitting screw plugs, or fitted with screw cap or other cap with metal air-tight undercap. Such receptacles shall be packed in strong wooden cases, the thickness of the wood to be not less than three-eighths of an inch; provided that wood cases shall not be necessary when the receptacles are made of tinned or galvanized sheet iron or steel, and have the following thickness of metal:—

	Not less than
(1) When the capacity does not exceed 2 gallons ...	27 B. W. G.
(2) When the capacity exceeds 2 but does not exceed 4 gallons ...	22 B. W. G.
(3) When the capacity exceeds 4 but does not exceed 8 gallons ...	20 B. W. G.
(4) When the capacity exceeds 8 but does not exceed 20 gallons ...	16 B. W. G.
(5) When the capacity exceeds 20 but does not exceed 30 gallons ...	14 B. W. G.
(6) When the capacity exceeds 30 but does not exceed 40 gallons...	12 B. W. G.
(7) When the capacity exceeds 40 but does not exceed 65 gallons ...	10 B. W. G.

4. An air-space of at least one-~~tenth~~ fourth of its capacity shall be left in each receptacle at the time of filling.

5. The receptacle shall be so substantially constructed and secured as not to be liable, except, under circumstances of grave negligence or extraordinary accident, to be broken of become defective, leaky or insecure.

6. The receptacles shall be labelled in accordance with the provisions of Section 7 of the Act.

7. Any receptacle, before being repaired, shall be cleared of all dangerous petroleum and of all dangerous vapours arising from the same.

8. The storage shed shall be constructed of masonry or other uninflammable material with terraced, 'iled or iron roofs and with tiled or paved or earthen floors.

9. Either the doorways and other openings of the storage shed shall be built up to a height of two feet above the level of the road or street, or the floor sunk to a depth of two feet below the level of the road or street, so that the peroleum cannot flow out from the building in case of its escape from the receptacle in which it is contained, or the building itself shall be surrounded with a masonry wall or embankment or both not less than two feet high. When the quantity of petroleum stored exceeds 16,000 gallons the height or depth shall be three feet.

A combination of these methods is permissible.

10. All ventilating openings in the storage shed shall be protected by strong wire gauze.

11. No light, except a light of such strength, position and character as is not liable to ignite any inflammable vapour, nor fire of any description, shall be permitted at any time within the storage shed.

12. All due precautions shall be taken for the prevention of unauthorized persons having access to any dangerous petroleum kept and to the vessels containing or having actually contained the same.

13. Every person managing or employed on or in connection with the storage shed shall abstain from any act whatever which tends to cause fire or explosion and which is not reasonably necessary, and shall prevent any other person from doing such act.

14. The drum or other receptacle containing dangerous petroleum shall only be opened on the licensed premises at or immediately adjoining the storage shed and for the time necessary for drawing off the petroleum and during such drawing off every reasonable precaution shall be adopted for preventing the escape of dangerous petroleum or the vapour therefrom.

15. The following distances shall be kept clear from protected works round the storage shed:—

Quantity to be stored.	*Distance to be kept clear*
Not exceeding 500 gallons	20 feet.
From 500 to 1,000 gallons	25 feet.
From 1,000 to 5,000 gallons	30 feet.
From 5,000 to 15,000 gallons	40 feet.
From 15,000 to 25,000 gallons	50 feet.
From 25,000 to 35,000 gallons	60 feet.
From 35,000 to 50,000 gallons	70 feet.
From 50,000 and over gallons	100 feet,

Provided that these distances may be reduced by the Licensing authority on the recommendation of the Chief Inspector of Explosives in cases where screen walls are provided or other special precautions taken, or where there are special circumstances that in the opinion of the Chief Inspector of Explosives warrant the reduction.

16. Provided that when the quantity to be possessed does not exceed 60 gallons the provisions of conditions 8, 9 and 15 shall not apply, but the licensee shall observe the following conditions:—

(i) The storage shed in which the dangerous petroleum is stored shall be well ventilated and constructed of uninflammable material, provided, however, that the doors and windows may be of wood.

(ii) Where a storage shed forms part of or is attached to, another building and when the intervening floor or partition is of an unsubstantial or inflammable character or has openings therein, the whole of such building shall be deemed to be the storage shed and no portion of such storage shed shall be used as a dwelling house or as a place where persons assemble. The storage shed shall have a separate entrance from the open air distinct from any building or dwelling in which persons assemble.

17. The storage shed shall be liable to inspection by an officer not being of lower rank than a Sub-Inspector of Police authorised by the Governor-in-Council in this behalf.